GROUP C FUEL SYSTEM

0

 \bigcirc

 \bigcirc

0

.

.

FUEL SYSTEM

CONTENTS

				1.								Page
AIR	CLEANER	•••	• • •	•••						 •••	•••	C7
CAREU	REITOR	•••		•••				•••	•••	 ••••	••••	C4
FUEL	PUMP	•••	•••	•••				•••	••••	 •••		C3
FUEL	TANK	•••	• • •	•••	•••	•••	•••	•••		 •••	•••	C1
NON-F	ETURN VALVE	AND ATOM	iiser	•••	•••	•••				 		C7
	Fluid Press	ure Fil	ter	***		•••	••••	•••		 •••	•••	C1
	Fuel Gauge	•••	•••	•••		•••	•••	•••	•••	 	••••	C2
	Pipe Assemb	oly		•••			•••		•••	 		C1
KIGAS	5s system	•••			•••	••••			•••	 		C5

0

LIST OF (NOTE:-	ILLUSTF THE TED		NOT	NECESSARI	LY INC	CLUDE ALL	THE	ITEMS	REFERENCED	2			Plate	
CARL	URETTOR	•••	•••	•••		•••	•••	•••	•••	•••		••• 7	C3	0
FUE	l fump	• • •	•••	•••		•••	•••	•••	•••	•••			C2	
FUE	L TANK	• • • • •	•••	•••	••••		•••	•••	***	•••		•••	C1	
NON	RETURN	VALVE AND	ATOM:	ISER	•••		•••	•••	• • •	•••	•••	•••	C4	

÷

ſ	No.	Catalogue Number		T	-		T	C1
	Item	estarolitz Wimpet	Item Name	Item Description	No. Of t		Drawing No.	Remarks
	1 2	nr -	FUEL TANK AND FITTINGS TANK, FUEL		+	CI	+	
	4	LV9ASC/2910-99-815-7577 NP	TANK, FUEL, ENGINE FILTER	w/ filter	1	1-28	FV59501 FV59468	
	5	LV6MT12/2910-99-807-5753 LV6MT12/2910-99-807-5756	FILTER, FLUID, PRESSUR	▼/ bracket	1	2-21	FV54967	
	7	LV6M12/2910-99-807-5760	FILTER BODY, FLUID PLUG, SCREWED	drain	1	2-3	FV182431 FV182434	
	8	LV6M112/5330-99-808-4655 G2/9505-99-943-7135	WASHER, NONMETALLIC	drain plug			FV182441	
		LV6M112/2910-99-807-5758	WIRE	steel, soft, 20 gauge	as req		, and judy K	
1		LV6MT12/2910-99-807-5754	SPRING, HELICAL, COMPRESSION FILTER ELEMENT,				FV182438	
1	- 1	LV6MT12/2910-99-807-5761	FLUID, PRESSUR COVER, FLUID	E	1 1	7-10	FV182432	
			FILTER ELENENT					
	- 1	LV6MT12/2910-99-807-5768	PAD, FILTER -	top	1	7	VTC/A44536	1
	4	LV6MT12/2910-99-807-5667	CASING, FLUID FILTER		1	8	VK/A47392	
1	5	LV6MT12/2910-99-807-5767	ELEMENT FILTER ELEMENT, FLUID,	outer	1	9	VK/B29922	
1		LV6MT12/2910-99-807-5670	PRESSURE CASE, FILTER	felt	1		VK/B47389	
1	- 1	LV6MT12/2910-99-807-5768	PAD, FILTER	inner	1		VK/A29969	
19		V6MT12/2910-99-807-5762	ELEMENT COVER, FLUID FILTER		1		VK/A47392	
19		W6MT12/5330-99-807-5662 W6MT12/5310-99-807-5763	ELEMENT WASHER, NONMETALLIC			10	VK/A44537 VX/A29202	1 1
21	12	V6MT12/2910-99-807-5668	NUT, PLAIN, WING GASNET	UNS, brass, Cd plated, 1/2 in filter top	4 1		VK/A44540	
22	i IL	V6MT12/2910-99-807-5755 V6MT12/2910-99-807-5476	HEAD, FLUID FILTER			11	VK/A29931 FV182433	
24	. G	1/5310-99-913-3207	GASKET WASHER, FLAT	filter hd clamp nut	1	12	FV182437	
26	6 II.	V6MT12/5310-99-807-5757 V6MT12/4730-99-807-5759	NUT, CLAMP PLUG, SCREWED	UNC, brass, Cd plated, 3/8in.		13	VK/A44521	
27	' [L	V6MT12/5330-99-807-5764 V9ASC/2910-99-815-7580	WASHER, NORMETALLIC	air release air release plug		15 16	VK/A44523 VK/A44704	
29	Ē	V9ASC/2910-99-815-7571	PACKING PIECE PLATE, INSTRUCTION	r0	1	17	VK/A53290	
					1	18	FV58424	Petrol filter
30	G	1/5305-99-941-0698	SCREW, MACHINE	UNC, steel, hex hd, zinc				support bracket
31	G	1/GA19171	WASHER, LOCK	coated, 5/16 in. x 3/4 in. steel, int, flat, zinc coated	3			Filter to
32	L	6MT1/EN/B1714T	TAP	5/16 in. fuel, 3 way, BSP.F, 3/8 in.	3) bracket
33		1/5305-99-941-0512	SCREW, MACHINE	ext UNF, steel, hex hd, zinc coated	1	19		ι Ι
		1/5310-99-943-8479	WASHER, LOCK	1/4 in. x 5/8 in. steel, int, flat, zinc coated.	1 2 1			Tap to
36	- LV	1/5310-99-941-0913 79ASC/2910-99-815-7562		1/4 in. UNF, steel, zinc coated, 1/4in.	1 2 1	- ({ bracket
37		76MT1/4710-99-801-0704		tap to filter 3/8 in. od x 7-5/16 in.	1 85	20	FV55594	ľ l
38 39	LV	76 MT1/ 4730-99-801-1481 76 MT1/ 4730-99-801-1472	SOLDERING, PIPE	BSP.F, 3/8 in.	req 1		FV55594/1 FV51246	
40 41	LV LV	9ASC/4730-99-815-7558 9ASC/4730-99-815-7559	FITTING BOLT, FLUID PASSAGE	3/8 in. BSP.F, brass, 3/8 in. Al, 0.660 in. 1d	1 1 2	21]	FV51243 FV51276 FV51277	
1 I	1	/5305-99-941-0524		UNF, steel, her hd. zinc	-	ľ	1)211	Fluid passage bolt
43	G1,	/GA19171	WARTER LAND	coated, 5/16 in. x 5/8 in. steel, int, flat, zinc coated	4	22		Bracket to
44	1.90	9ASC/2910-99-815-7579		5/16 in.	4		l l	S. Carix
46	LV	5/150/2910-99-815-7579 5/1710-99-801-0704	PIPE ASSEMBLY PIPING, STEEL	tank to tap 3/8 in. od x 46 in.	1	23 E	7V59481	
47 48	LV(6MT1/4730-99-801-1481 6MT1/4730-99-801-1472			req 1	F	7V51246	
			FITTING	5/8 in.	1	F	W51243	

f

10

 \bigcirc

:

 \bigcirc

<u>C2</u>								
Item No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarka	(T)4
1		FUEL TANK - Contd			CI	-		5.7
2 3 4	LV9ASC/2910-99-815-7569 LV6MT1/4710-99-801-0704	TANK, FUEL - Contd PIPE ASSEMBLY PIPING, STEEL	reserve to tap 3/8 in. od	1 8.5	24	FV58414		
5	LV6MT1/4730-99-801-1481 LV6MT1/4730-99-801-1481	NUT, UNION, PIPE FERRULE, BRAZING-	BSP.F, 3/8 in.	req 1		FV51246		
7		SOLDERING, PIPE FITTING	3/8 in.	1		FV51243		
8 9 10	LV9ASC/4730-99-815-7558 LV9ASC/4730-99-815-7559 LV6MT1/88506	BOLT, FLUID PASSAGE WASHER, FLAT PLUG	BSP.F, brass, 3/8 in. Al BSP.F, brass, hex, socket hd.	24	25	FV51276 FV51277) Pipes to) tank	
11 12 13	LV9ASC/5330-99-815-6328 LV6MT1/S21591FG LV6MT1/6680-99-801-9235	GASKET TANK-UNIT, FUEL GAUGE	1/2 in. copper, BSP, 1/2 in.	2 2 1	26 27-28	FV51892	}Fuel tank	
14	LV6NT1/6680-99-801-9236	COVER, TERMINAL BOARD GROWMET AND SEALING WASHER		1	27	SM/FG1992M SM/FG1993	Top plate to	
15 16 17	LV6MT1/6680-99-800-0311 LV6MT1/F6490 LV6MT1/6680-99-801-9162	POTENTIONETER RING, RUBBER GASKET	fuel tank cork, 3 in. id x 4-1/4 in.	1		SM/FG2440		
18	G1/5305-99-941-1066	SCREW, MACHINE	od x 0.062 in. thk UNF, steel, hex hd,Cd plated, 1/4 in. x 1/2 in.	1	28	SX/F0558	}	
19	G1/5310-99-941-7647	WASHER, LOCK	steel, int, flat, Cd plated, 1/4 in.	1) Tank unit	100
20 21	G1/5305-99-941-6190 G1/5310-99-120-2311	SCREW, MACHINE WASHER, LCCK	UNF, steel, her hd, zinc coated no. 10 x 1/2 in. steel, int, flat, zinc coated	i 11			to tank	O.
22	G1/5305-99-941-7933	SCREW, MACHINE	3/16 in. BA, steel, ch hd, slotted,	11			5	
23	LV9ASC/2910-99-815-7552	GASKET	Cd plated, no. 2 x 7/16 in. rubber bonded cork, 3.40 in. id x 4.30 in. od x 0.062in.	2			2	
24 25	LV9ASC/2910-99-815-7551 G1/5305-99-941-0513	FILLER, NECK SCREW, MACHENE	thk UNF, steel, hex hd, zinc	1	29 30	FV50785 FV50781	<pre>> Filler neck</pre>	
26	G1/5310-99-943-8479	WASHER, LOCK	coated, 1/4 in. x 3/4 in. steel, int, flat, zinc coated	6	31		{	525
27 28	LV9BLC/2910-99-848-2558 LV9BLC/5340-99-848-2555	STRAINER ELEMENT, SEDIMENT RING, RETAINING	1/4 in. fuel tank chain to adaptor	6 1 1	32		5	
29 30	LV9BLC/2910-99-848-2555 G1/GA15082	CAP, FUEL TANK CHAIN	brass, no. 4	1 az req	33	FV15523		-
33	G1/GA14230 LV9BLC/5330-99-848-2560 LV9ASC/2910-99-815-7573 LV6MT1/4710-99-801-0704	RING, KEEP, SPLIT WASHER, NORMETALLIC PIPE ASSEMBLY PIPING, STEEL	steel, 3/4 in. id filler cap filter to junction 3/8 in. od	2 1 1 88	34	FV58498		
35 36	LV6MT1/4730-99-801-1481 LV6MT1/4730-99-801-1472	MUT, UNION, PIFE FERRULE, BRAZING-SOLDERING		req 1				i
35	LV9ASC/4730-99-815-7558 LV9ASC/5310-99-815-7559 LV9ASC/2910-99-815-7561	PIPE FITTING BOLT, FLUID PASSAGE WASHER. FLAT UNION AND MOUNTING PLATE	3/8 in. BSP.P, brass, 3/8 in. Al, 0.660 in. id	1 1 2		FV51276 FV51277	} Filter	0
40		ASSEMBLY		1	35	PV51651		\sim
42	LV9ASC/2910-99-815-7568 LV6MT1/4710-99-801-0704	PIPE ASSEMBLY PIPING, STEEL	union to pump 3/8 in. od	1 as req	36	FV58412		
44	LV6MT1/4730-99-801-1481 LV6MT1/4730-99-801-1472	NUT, UNION, PIPE FERRULE, BRAZING-SOLDERING, PIPE FITTING	BSP.F, 3/8 in. 3/8 in.	2				
45	LV6MT6/4720-99-805-7772	HOSE, RUBBER	synthetic, 1/2 in. id x	88			2	
46 47	LV6MT1/4730-99-942-9463	CLAMP, HOSE	25/32 in. od steel, Cd plated, 5/8 in. to 7/8 in.	req 2	37 38) Fuel tank) breather	
48	LV6NP1/2910-99-815-7572 LV6NP1/4710-99-801-0703	PIPE ASSEMBLY PIPING, STEEL	engine manifold to junction 3/16 in. od	1 85	39	FV58497	} .	
50 51	LV6MT1/4730-99-801-1478 LV6MT1/4730-99-801-1469	FERRULE, BRAZING-SOLDERING,	BSP.F, 1/8 in.	req 2			Kigaza	
52 53	LV9ASC/2910-99-815-7554 LV9ASC/5340-99-815-7555	MOUNT, RESILIENT	3/16 in. rh lh	2 2 2	40	FV51250 FV51251))Front supports)fuel tank	
					_			

C2

Item No.	Catalogue Number	Item Name	Item Description	No			Remarka
1				+-	+		
2 3		FUEL TANK - Contd SHIM	fuel tank		CI		
4	G1/5305-99-941-0424	SCREW, MACHINE		A/.	R 41	FV50533	3
	÷		UNF, steel, hex hd, zinc coated, 5/16 in. x				Resilient
5		WASHER, LOCK	3/4 in. steel, int, flat, zinc	8			jto tank
6	G1/5305-99-941-7916	BOLT, MACHINE	coated, 5/16 in. UNF, hex hd, zinc coated,	8			5
78	G1/5310-99-941-3304 LV9ASC/5340-99-815-7553	NUT, SELF-LOCKING, HEXAGO		4) Resilient) mounting
9	G1/5305-99-941-0537	MOUNT, RESILTENT SCREW, MACHINE	UNF, steel, hex hd, zinc	Z		FV51239) to hull
10	C1 (7740 00 000 000		coated, 3/8 in. x 1/2 in.			1) }Rear
10	G1/5310-99-120-2521	WASHER, LOCK	steel, int. flat. zinc	6			fuel tank
11	NP	FLAME TRAP FUEL	coated, 3/8 in.	6			lý –
12 13	LV6HT7/3110-99-806-0440 LV6HT12/2910-99-821-7244	VENT VALVE ASSEMBLY BALL, BEARING	cres, 5/8 in. dia	1		FV857451	
-	1	4. NEEDLE VALVE, CARBURETTOR	2.5 mm needle seating, c/w 3 washers			RB15-875	
14	LV9AAD/5330-99-823-9896	GASKET	fipre, 1.260 in. ld y	1		B19056Z	
15	LV9ASC/2910-99-827-6711	FLAME TRAP ELEMENT	1.500 in. od x 0.307 in. thk	1		FV820110	
16	LV9ASC/4730-99-827-6713	BOLT, FLUID PASSAGE	UNF, steel, Cd P, 5/8 in.	1	1	FV819945	
7	LV6HT1/5330-99-943-4400	WASHER, NOIMETALLIC	x 5/8 in. 1g	11		FV857454	
"	LV9ASC/4730-99-827-6712	CONNECTOR, MULTIPLE, FLUID PRESSURE LINE	steel, 2-1/16 in. 1c.	S	1	FV857455	
9	LV9ASC/4720-99-830-9099	HOSE, FREFORMED	9/16 in. thk, 5/8 in. dia bolt hole	1		FV857453	
		HODE, FREFORMED	rubber, 15/32 in. id x 3/4 in. od x			110)/499	
0	LV9ASC/4720-99-830-9098	HCSE, PREFORMED	23-3/4 in. 1g rubber, 15/32 in. id x	1		FV900952	
			3/4 in. od x				
- 1	LV6MT4/5340-99-805-7314	CLAMP, LOOP	34-3/4 in. 1g steel, Cd P, 0.75 in.			FV900951	
	LV6HT4/5340-99-805-1036	CLAPP, LOOP	loop id steel, Cd P, 0.75 in. loop	1		187006	Lucas
5] 1	LV6HT6/4720-99-943-9437	HOSE, RUBBER	id, 1-1/16 in. centres synthetic rubber,	2	í	860864	
1	CV6HT1/4730-99-942-9463	CLAMP, HOSE	1/2 in. id steel, Cd P, 5/8 in. to	A/R	Í		
5 0	31/5305-99-941-6181	SCREW, MACHINE	7/8 in.	2		FV857459/ 14	
			UNF, steel, hex cak hd, zinc coated, 3/8 in. x				
G	1/5305-99-941-1080	SCREW, MACHINE	1 in. 1g UNF, steel, hex hd, Cd P,	2			
G	\$1/5310-99-101-8358	WASHER, LOCK	5/16 in. x 3/4 in. 1g steel, ext, flat, zinc	1			
G	1/5310-99-956-1786	WASHER, FLAT	coated, 3/8 in. steel, 5/16 in.	2		i	
1	1/5310-99-202-9996	NUT, SELF-LOCKING, HEXAGON	UNF, steel, zinc coated.	1			
G	1/5310-99-135-6785	NUT, PLAIN, HEXAGON	J/16 in. UNF, steel, zinc coated.	1			
I	VGHT12/2910-99-807-4909 F		3/8 in.	2			
	V6HT12/2910-99-807-4863 V6HT12/2910-99-807-8615	END ASSEMBLY, FLANGED	P50, HK 1B	1	C2	FV143326	
1	VENT12/4730-99-807-4235	LEVER, PRIMING ASSEMBLT NUT, PACKING	BSP.F. brees have be	1	8-9	5M/597260 SM/56520A	
G1	1/5315-99-942-0378	PIN, COTTER, SPLIT	BSP.F, braas, hex hd, 1/8 in.	1	L	SH/S5595	
LV	/6MT12/2910-99-808-4354	PARTS, KIT, FUEL PUMP	steel, phosphated, 1/16 in. x 3/4 in.	1	13		
LV	/6HT12/5306-99-807-3919	BOLT, MACHINE	BA, steel, hex hd, zinc		17-27 5	SM/S10150	,
Q.7	/5310-99-941-6653		coated, no. 2 x 2-5/32 in.				5
1	·	WASHER, LOCK	steel, single coil, so	5	32 8	· ·)Valve)chamber
Z2,	/5310-99-941-7070	NUT, FLAIN, HEXAGON	sect., Cd plated, 3/16 in.	5	33)cover
G1.			BA, steel, Cd plated, no. 2 Al, 0.830 in. id	5	34	R/KB1092 D) Union
	· · · · · · · · · · · · · · · · · · ·		BSP.F, steel, 3/8 in. x 1/2 in.	2		6	inlet and
				-	20 F	V141952	outlet
			22				
				1			

 \bigcirc

.

 \bigcirc

Item No. P	Catalogue Number	Item Name		No. Off	Plate Ref.	Drawing No.	Remarks
1 2 3 4 56 7 8	LV10/2910-99-865-2770 G1/5310-99-941-6655 G1/5310-99-941-0925 LV10/4730-99-865-4357 LV6HT12/2910-99-807-6436 LV6HT1/4730-99-801-1472 LV6HT1/4730-99-801-1481	GASKET WASHER, LOCK NUT, PLAIN, HEXAGON PIPE ASSEMBLY UNION, BANJO FERRULE, ERAZING-SOLDERING, 21PE FITTING NUT, UNION, PIPE	fuel pump to adaptor steel, single coil, sq sect., 5/16 in. UNF, steel, zinc coated, 5/16 in. pump to carburettor 3/8 in. BSP-F, 3/8 in.	1 2 2 1 1 1 1 1 1		FV142755 FV144186 SX/4120/10 FV51243 FV51246 FV142791)Fuel pump)to adaptor)studs
9 10 11	LV10/5340-99-865-2780 LV10/5340-99-865-2789 G1/5310-99-941-0942 G1/5310-99-941-6654	CLAMP, LOOP BUSHING, RUEBER NUT, PLAIN, HEXAGON WASHER, LOCK	<pre>fuel pipe fuel pipe UNF, steel, zinc coated, 1/4 in. steel, single coil, sq sect., 1/4 in.</pre>	1	C3	EV142792))Fuel pipe)clamp studs)
15 16 17	LV6MT12/2910-99-807-6428 NP LV6MT12/2910-99-807-4969 LV6MT12/2910-99-807-5896 LV6MT12/5340-99-807-5016	BODY, MAIN SPINDLE, THROTTLE BUTTERFLY, CARBURETTOR LOCKING PLATE, NUT AND	brass, 40 mm dia throttle spindle to	1 1 1 2	1-55 1-32 2 3	SX/40NN1P/ S1682 SX/12542 SX/10639 SX/52162	
19 20 21 22 23 24 25 26	LV6HT12/5305-99-807-515 LV6HT12/2910-99-807-515 LV6HT12/2910-99-807-511 LV6HT12/2910-99-807-5023 LV6HT12/2910-99-807-4975 LV6HT12/2910-99-807-4975 LV6HT12/2910-99-807-4974 LV6HT12/5305-99-807-4805	SLEEVE, THROTTLE SPINDLE WACHER GASKET COVER, DUST SEAL, PLAIN, ENCASED SCREW, MACHINE	<pre>butterfly throttle spindle to butterfly throttle spindle nut intermediate throttle spindle dust cover throttle spindle dust cover throttle spindle dust cover</pre>	2	4 5 6 7 8 9	SX/10867 SX/10866 SX/10641 SX/10958 SX/10958 SX/10645 SX/10645 SX/10644 SX/9245 SX/10642	2
27 28 29 30 31 32	LV6MT12/2910-99-807-497 LV6MT12/2910-99-807-505 LV6MT12/5310-99-807-415 LV6MT12/5310-99-807-414 LV6MT12/5305-99-807-497 LV6MT12/5340-99-807-352	LEVER, THROTTLE WASHER, FLAT MUT, FLAIN, CAP SCREW, SET	butterfly, valve throttle apindle end nut throttle spindle metric, steel, hex hd, slot drive, Cd plated, 5 mm x 10.5 mm slow running adjustment	1 2 2	11 12 13 14 15	SX/11496 SX/4031 SX/4030 SX/10647 SX/4384) Slow) running
34	LV6HT12/2910-99-507-497 LV6HT12/2910-99-807-592	1 NUT, PLAIN, HEXAGON 3 VALVE, STARTER 1 SPRING, HELICAL, COMPRESSION	metric steel, hex hd, slot drive, Cd plated, 5 mm x 18.5 mm metric, steel, Cd plated, 5 mm carburettor air valve	1 2 1	16 17	5X/10647 SX/3950 SX/10650 SX/53058 SX/10673)Throttle)adjustment)Throttle)stop
37 38 79 40	IV6HT12/2910-99-807-11 IV6HT12/5305-99-807-486 IV6HT7/7110-99-806-1352	CAFEURETTOR O SCREW, MACHINE BALL, BEARING	starter " metric, brass, csk hd, slot drive, 4 mm x 9 mm stecl, 3/16 in.	1	19	sx/12364 sx/9698)Starter)plate) Starter) valve) locating
4	2 LV6MT12/4730-99-807-654 3 LV6MT12/2910-99-807-51	D7 PLUG, SCREWED DIAPHRAGM, PUMP	valve locating ball bleed jet, air blank w/spindle, nut and packing washers	1	22		
4	5 LV6HT12/2010-99-807-50 6 LV6HT12/2010-99-807-50 7 LV6HT12/5305-99-807-48 8 LV6HT12/2010-99-807-50	COMPRESSION COVER, FUMP COVER, FUMP COVER, FUMP COVER, MACHINE CONTROL ROD	brass, diaphragm lh rh metric, brass, csk hd, slo drive, 4 mm x 9 mm pump	14	25	8 5X/11034 5X/11038 5X/9698)Pump)covers
4	0 G1/5315-99-944-0171	24 SPRING, HELICAL, COMPRESSION PIN, COTTER, SPLIT	pump control rod steel, phosphated, 1/16 in x 5/8 in.		2 30	5X/10962)Pump)cuntrol roo

C

c4

Iten No.	Catalogue Number	Item Name	Item Description	No. Off	Piste Ref.	Drawing No.	Remarka
1 2		CARBURETTOR, FLOAT TYPE -			C3		
3		Contd BODY, MAIN - Contd			1		
4 5	LV6H112/5310-99-807-5907 G1/5315-99-942-0383	WASHER, FLAT PIN, COTTER, SPLIT	steel, 4.2 mm steel, phosphated, 3/32 in.	2	31	SX/52760)) Pump
6	LV6HT12/5310-99-807-6553	NUT, SLEEVE	x 1 in. metric, brass, hex, 4 mm	4	32	5X/52815) control) rod
7	LV6MT12/5305-99-807-3548	SCREW, MACHINE	metric, steel, flat fillister, come point.		[LJ)))Choke
8	LV6HT12/2910-99-807-6474	PLUG, SLOW RUNNING	Cd plated, 6 mm x 11 mm	2		SX/50362 SX/50496	tube
9 10	LV6HT12/2910-99-307-4963 LV6HT12/2910-99-807-9144	GASKET COVER, DUST, CARBURETTOR	pump dust cover	1	33	L1 SX/10636	•
1	LV6NT12/2910-99-807-4988	PUMP SEAL, DUST COVER		1	34	SX/13118 SX/10679	
	LV6MT12/5305-99-807-3535	SCREW, MACHINE	metric, steel, hex hd,				
3	LV6HT12/5305-99-807-3562	SCREW, MACHINE	Cd plated, 5 mm x 7 mm metric, steel, flat fillister hd, slot drive,	2		SX/51760 SX/50893/	
4	lv6ht12/5310-99-807-4454	WASHER, FLAT	Cd plated, 6 mm x 27 mm	?		1	
5	LV6HT12/2910-99-307-3571	LEVER, STARIER VALVE	brass, 1/4 in. id carburettor	1	35	SX/7135 SX/9862	
6	LV6HT12/5305-99-807-3535	SCREW, MACHINE	metric, steel, hex hd, Cd plated, 5 mm x 7 mm	1	36	SX/51760) Cable) fixing
	LV6MT12/5310-99-807-3564 LV6MT12/5310-99-807-3532	WASHER, FLAT NUT, PLAIN, HEXAGON	steel, Cd plated, 8.2 mm	1	37 38	SX/4031/1)Starter
,	LV6HT12/2910-99-307-7296	EMULSION TURE	etric, steel, 8 mm nuin jet	1 2	38 39	SX/4024 SX/52043/ L12)spindle
י	LV6MT12/2910-99-807-8419	JET, METERING	main and starter	2	40	SX/50552/ 6/130	
	LV6MT12/2910-99-807-354? LV6MT12/2910-99-807-4794	HOUSING, MAIN JET WASHER, FLAT	Al, 11.1 mm	2	41 42	57/50820 57/9194) Hain jet
,	LV6MT12/2910-99-807-8347	JET, METERING	main jet	2		50(/51612/) plug
	LV6HT12/2910-99-807-8364	JET, METERING	normal	1	43	190 SX/52823/) Starter
	LV6HT12/5310-99-807-4965 LV6HT12/2910-99-807-8310	WASHER, FLAT JET, METERING	Al, 9.3 mm auxiliary	1 2	44 45	180 SX/10593 SX/50794/)
	LV6HT12/2910-99-807-3565	JET, METERING	air bleed auxiliary	2	46	4/55 SX/51274/ 1/150	
	LV6MC12/5916-39-807-5916	NEEDLE VALVE, AIR CONTROL		2	47	SX/52858) Volume
	LV6HT12/5340-99-807-3520	SPRING, HELICAL,) screw
	LV6HT12/2910-99-807-3463	COMPRESSION JET, METERING	volume control screw rich circuit	2 1	48	SX/4384 SX/51274/	
	LV6HT12/2910-99-807-4979	EMULSION TURE, STARTER		1		1/120 SX/10653	
5	LV6MT12/2910-99-807-4983 LV6MT12/2910-99-807-4980	NUT, GLAND GLAND, CAREURETTOR PACKING	packing altitude needle	1	49	SX/10662 SX/10655	
	LV6HT12/2910-99-807-5020 LV6HT12/2910-99-807-5835	NEEDLE, ALTITUDE SPRING, HELICAL,		-i	50	SX/10898	
	LVGMI12/2910-99-807-5832	COMPRESSION WASHER, FLAT	altitude needle copper, 5.1 mm	1	51 52	SX/51392 SX/51287) Float
	G1/5315-99-942-0383	PIN, COTTER, SPLIT	steel, phosphated, 1/16 in.) spindle
L	LV6HT12/2910-99-807-4592	BALL, POMP	x 5/8 in. glass, 4 mm	1 2	53 54	SX/8163	
	LV6MT12/2910-99-807-6534	SCREW	ball retaining, pump	ź	55	SX/51904/	
	LV6MT12/2910-99-807-4876 LV6MT12/2910-99-807-4592	VALVE, CHECK BALL, FUMP	glass, 4 mm	2 2		SX/9829 SX/8163) Pump check
	LV6HT12/2910-99-807-4965	WASHER, FLAT	Al, 9.3 mm	2		SX/10593) valve
1	LV6MT12/2910-99-807-5915 LV6MT12/2910-99-807-5126	STRAINER ELEMENT, SEDIMENT FUMP, ECONOMY	-	2	58	SX/52950 SX/12274	
1	V6HT12/SX51412/6 31/5315-99-942-0363	SCREW PIN, COTTER, SPLIT	body, 16.5 mm steel, 1/32 in. x 3/8 in.	2	62		
1	.v6m12/2910-99-807-8341	JET, CAREURETTOR, ECONOMY FUMP		1	63	SX/51274/	
	V6MT12/2910-99-807-4991	GASKET	mum have			L1/95	
	V6MT12/5305-99-807-4685	SCREW, MACHINE	pump base starter cover	1 4	64 65	SX/10688 SX/8612) Economy

1

 \bigcirc

0

 \bigcirc

 \bigcirc

.

.

Item No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarks
1 2		CAREURETTOR - Contd			C3		
3	LV6HT12/2910-99-807-4986 LV6HT12/5305-99-807-4860	FLOAT ASSEMBLY	carburettor metric, brass, cak hd,	1	66	5X/10671)Float
5	LV6MT12/5305-99-807-5843 LV6MT12/5310-99-807-4793	WASHER, FLAT	4 mm x 11_5 mm	222	67 68	5X/9698 5X/51484 5X/9193)weights
7 8 9	LV6MT12/2910-99-807-5049 LV6MT12/5307-99-807-5048 LV6MT12/2910-99-807-4989	STUD, PLAIN GASKET	v/nuts float chamber float chamber cover	1 8 1	69-72 70 71	SX/11308 SX/11174 SX/10680	
10	LV6HT12/5305-99-807-3895 LV6HT12/5310-99-807-5818		metric, brass, csk oval hd, 4 mm x 4.7 mm float chamber	4		SX/1129)Gasket)fixing
12	LV6HT12/5310-99-807-5050		UNF, steel, Cd plated, 1/4 in.	4 8		5X/51149 5X/17310)Float)chamber
13	LV6MT12/5305-99-807-5806	SCREW, MACHINE	⊐etric, steel, fillister hd, slot_drive, Cd)cover stud) Float) chamber
15	LV6HT12/5310-99-807-4454 LV6HT12/2910-99-807-7055	JET, METERING	plated, 6 mm x 21 mm brass, 1/4 in. id speed	8 8 2 2	73	SX/50893 SX/7135 SX/10663) cover
16		PLUG, SCREWED WASHER, FLAT	opeed jet Al. 8.1 mm	2 2	74 75	5X/10664 5X/9193)Speed jet
18 19 20	LV6HT12/2910-99-807-6509 LV6HT1/5310-99-807-4797 LV6HT12/4730-99-807-3559	VALVE, MEEDLE WASHER, FLAT BOLT, FLUID PASSAGE	float chamber Al, 15/32 in.	1	76 77	SX/51305/8)plug Needle valve
21	LV6HT12/5310-99-807-4842 LV6HT12/2910-99-807-3560	WASHER, FLAT	Al, 12.1 mm	z	77 78	SX/4122 SX/9573)Fluid)passage
23 24	LV6MT12/4730-99-807-6436 LV6MT12/4730-99-807-5522	STRAINER ELEMENT, SEDIMENT UNION, BANJO PLUG, SCREWED		1 1 1	79 80	5X/4123 SX/4120/10 5X/2134/1)bolt
25	LV6HT12/2910-99-807-4843 LV6HT7/3110-99-806-1332	WASHER, FLAT BALL, HEARING	AL, 12.1 mm steel, 3/16 in.	1	81	5X/9574)Connector)banjo) Altitude.
27	LV6HT12/2910-99-807-3537	SPRING, HELICAL, COMPRESSION) lever
28	LV6HT12/2910-99-807-4981	LEVER ASSEMBLY, ALTITUDE CONTROL	altitude lever	1	82 83	SX/51762 SX/10660	
	LV6MT12/5306-99-807-4982 G1/5310-99-941-6654	BOLT, MACHINE WASHER, LOCK	altitude control lever steel, sizgle coil, sq sect., 1/4 in.	1	84 85	SX/10661)Altitude)control
31 32	LV10/2805-99-865-4324 G1/5310-99-120-2304	GASKET WASHER, LOCK	carburettor to manifold steel, single coil, sq	1		FV142024)lever
33	G1/5310-99-941-6527	NUT, PLAIN, HEXAGON	sect., zinc coated, 3/8 in. UNF, steel, lock, zinc	4) Carburettor to manifold
34 35	LV10/2805-99-865-2880 LV9ASC/2590-99-809-8517	GASKET AIR HORN ASSEMPLY	coated, 3/8 in. air intake to carburettor c/w flange and breather	4 1 1		FV143148	5
36 37	LV9ASC/2540-99-815-7239 LV9ASC/2540-99-815-7240	ANCHOR, ACCELERATOR RETURN SPRING	cy ind treather	1		FV668513 FV51535	
38	G1/5310-99-941-6654	ANCHOR, SPRING WASHER, LOCK	steel, single coil, sq sect., 1/4 in.	1		FV51630)
39 40	G1/5310-99-941-0924 LV10/2805-99-865-2813	NUT, PLAIN, HEXAGON PIPE, VENTILATING, DISTRIBUTOR	UNF, steel, zinc coated, 1/4 in. lower	8		FV142925))
41 42 43	LV10/2814-99-865-2814	PIPE, VENTILATING, DISTRIBUTOR KIGASS SYSTEM -	upper	1	2	FV142926	
44	LV10/2910-99-865-4358 LV6MT12/2910-99-807-3843	PIPE ASSEMBLY	Kigass, non return valve to fiveway junction	1		FV144309	
		FERRULE, BRAZING - Soldering, Pipe Fitting		2			
47	LV6HT12/2910-99-807-3842 LV10/2910-99-865-4338	NUT, UNION, PIPE CONNECTOR, MULTIPLE FLUID PRESSURE LINE		2		FV142560	8
48 49	LV10/2910-99-865-4342 LV6MT12/2910-99-807-3843	PIPE ASSEMBLY FERRULE, BRAZING -	Kignss, fiveway connector to atomizer	1		FV142500)Intermediate)front
		SOLDERING, PIPE FITTENG		2.			
	lv6ht12/2910-99-807-3842	NUT, UNION, PIPE	8	2			

Amdt 14992-7

0

C6

Catologue Number Item Name		Item Description	No. Of			Remarks	
2910-99-865-4341	KIGASS SYSTEM - Contd PIPE ASSEMBLY	Kigass, fiveway connector	┼╴			 	
12/2910-99-807-384	3 FERRULE, BRAZING - SOLDERING, PIPE	to atomizer	1		FV/142806) Front	
12/2910-99-807-584 2910-99-865-4337			22				
12/2910-99-807-384		Kigass, fiveway connector to atomizer	1		FV142802) Inter-) mediate) rear	
12/2910-99-807-3842	2 SOLDERING, PIPE FITTING NUT, UNION, PIPE		2				
910-99-865-4340	PIPE ASSEMBLY	Kigans, fiveway connector					
2/4730-99-807-3843	SULDERING, PIPE	to atomizer	1		FV142804) Rear	
2/4739-99-807-3842 340-99-865-4295	FITTING NUT, UNIOK, PIPE CLAMP, 1009	steel, rubber lined,	2				
3 10-99-865-161 9 0-99-944-0547	WASHER, FLAT WASHER, LOCK	3/16 in. id steel, Cd plated, no. 2 steel, single coil, so	55) Atomizer	
99-941-7070	NUT, PLACH, EXAMON	sect., Cd plated, 3/16 in. EA, steel, Cd plated, no. 2	5)	
2/2910-99-807-3816 2/2910-99-807-3818 2/4820-99-807-4063 2/5340-99-807-4064	BODY, VALVE		1 1 1	C4 1-7 1 2	KS/E657 KS/D661 KS/D1908)	
/4730-99-807-3817 -99-941-8672 /4730-99-607-3780	WASHER, FLAT FERRULE, SPACING -	copper, 0.390 in.	7 1 1	う う ち	KS/D1909 KS/E658		
/4730-99-807-3826	SOLDERING, PIPE FITTING NUT, THION, PIPE		2	6	KS/E479 KS/E702		
/2910-99-807-3815	NOZZLE, FUEL, PHECSURE ATOMIZENG				NU/ 2/02		
/2910-99-807-6365	STRAINER, SEDIMENT		4	8-11 9	KS/E647 KS/F261/		
/4730-99-807-3820 /5310-99-807-4102 /5-99-865-2460 -99-944-0547	PLUG, SCREWED WASHER, FLAT GASKET WASHER, LOCK	BSF, brass, 5/16 in. copper, 5/16 in. atomizers steel, single coil, sq	4 4 4	10	262 KS/E667 KS/E259/6 FV141694) Atomizer	
99-941-7070	NUT, PLAIN, HEXAGON	sect., Cd plated, 3/16 in. BA, steel, Cd plated, no. 2	3 8) to) induction) manifold	
2940-99-808-2622	AIR FILTER AND FITTINGS - FILTER, AIR, INTAKE BODY, FILTER AIR INTAKE		1		EV157577		
2940-99-808-2625	TANK, OII., FILTER, AIR INTAKE		1		TV157236		
2940-99-808-2624	DAMPER, FILTER, AIR INTAKE FILTER, ELEMENT, AIR		1	1	V157204		
2940-99-808-26 <i>2</i> 9 2940-99-808-2628	INTAKE GASKET COVER, FILTER, AIR	air filter cover	1 2		V157200 V157210		
5 305-99-808- 2627 940-99-815-8067 99-941-0697	INTAKE THUMBSCREW BRACKET, INTAKE AIR FILTER SCHEW, MACHINE	air filter cover	1 4 1	7 1	V157235 V157206 V55506		
71	WASHER, LOCK	UNC, steel, her hd, zinc coated, 5/16 in. x 5/8 in.	4		e ⁸⁶		
40-99-815-8068 140-99-815-7711 19-941-0697	STRAP RETAINING BRACKET, INTAKE AIR FILTER SCREW, MACHINE	coated, 5/16 in. air filter, lower mounting UNC, steel, hex hd, zinc coated, 5/16 in. x	8				
:40-99- 40-99-	815-7711	815-8068 STRAP RETAINING 815-7711 BRACKET, INTAKE AIR FILTER	WASHER, LOCK coated, 5/16 in. x 815-8068 STRAP RETAINING steel, int, flat, zinc 815-7711 BRACKET, INTAKE AIR FILTER coated, 5/16 in. 0697 SCREW, MACHINE UNC, steel, her hd, zinc	WASHER, LOCK coated, 5/16 in. x 815-8068 STRAP RETAINING 815-7711 BRACKET, DITAKE AIR FILTER 0697 SCREW, MACHINE	WASHER, LOCK coated, 5/16 in. x 815-8068 STRAP RETAINING 815-7711 BRACKET, INTAKE AIR FILTER 0697 SCREW, MACHINE Coated, 5/16 in. x 0697 SCREW, MACHINE Coated, 5/16 in. x 1 1 1 1 1 1 1 1 <	VASHER, LOCKcoated, 5/16 in. x815-8068STRAP RETAINING BRACKET, INTAKE AIR FILTER5/8 in. steel, int, flat, zinc coated, 5/16 in.4815-8068STRAP RETAINING BRACKET, INTAKE AIR FILTERair filter, lower mounting16697SCREW, MACHINEUNC, steel, hex hd, zinc coated, 5/16 in. xFV55752 FV55753	

0


: . .


Item No. 23	Catalogue Number	Item Name	Item Description	No. Off	Piate Ref.	Drawing No.	Remerka	0
4 5 6 7 8 9 10 11		AIR FILTER AND FITTINGS - Contd WASHER, LOCK BRACKET, EYE, NONROTATING SHAFT NUT, PLAIN, HEXAGON WASHER, LOCK SCREW, MACHINE WASHER, LOCK PIPE, AIR CLEANER FLANGE SCREW, MACHINE WASHER, LOCK PIPE, INTAKE	<pre>steel, int, flat, zinc coated, 5/16 in. steel, zinc coated, 1/4 in. nteel, int, flat, zinc coated, 1/4 in. UNF, steel, hex nd, zinc coated, 1/2 in. x 1 in. steel, int, flat, zinc coated, 1/2 in. UNC, steel, hex hd, zinc coated, 5/16 in. x 1/2 in. steel, int, flat, zinc coated, 5/16 in. carturettor to filter</pre>	6 12 3 31 1 6 61		FV51420 FV58274 FV51161 FV58402))) Strap to) bracket) and) bracket to) hull)	
								0


c8

FUEL TANK












NON-RETURN VALVE AND ATOMISER



AIR CLEANER

. 0

 \bigcirc

. 🔘

C 5

