# R

GROUP

 $\bigcirc$ 

6

t.

6

0

.

#### MOUNTINGS

#### CONTENTS

										Page
GUN MOUNT		* • •	•••	••••			••••	•••		R2
MACHINE GUN MOUNT SUF	PORT	•••	•••						•••	R2
MACHINE GUN MOUNTING	- EREN	•••								R 1
MACHINE GUN MOUNTING	- EROWNIN	IC								R1
Control Handle	•••	•••	•••	•••						R1
Carrier Assembly	***	***	•••							R2
MACHINE CUN MOUNTING,	7.62 MM	ю. 6,	NK 1					•••		<b>*</b> 5
PERISCOPIC SIGHT MOUNT	•••	•••	•••							R7
SFENT CARTRIDGE BAG	***	•••			•••	•••				R4
LIST OF ILLUSTRATIONS (NOTE:- THE TEXT DOES	NOT NECE	SARILY	INCLUIE	ALL THE	ITEMS R	EFERENCE	<u>(a</u>			Plate

MACHINE	CUN	POTRTING,	NO. 4,	MK 1	AND	MK 2.	•••	•••	***	***	 	R2
MACHINE	GUN	MOUNTING	ND. 6, )	нк 1	•••	•	•••	•••	•••	•••	 	R3
PERISCOP	IC S	ight moun	Ting, No.	. 12,	MIC	1.	••			•••	 	R4

.

.

.

No.			I				<u>R1</u>
Item N	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarks
1 2	LV4/FV58430	MOUNTING, MACHINE CUN	bren	t			Mk fonly
3	LV4/5340-99-812-5813	SPACER, SLEEVE	steel, 5/8 in. id x 3/4 in. od x 2-7/8 in. 1g	1		FV51622	-
4	LV4/5340-99-812-5812	SPACER, SLEEVE	steel, 0.404 in. id x 0.50 in. od x 3.4 in. lg	1		FV51621	
5	LV2/2590-99-812-5814	LINING, FRICTION	wood, 17/32 in. id x				
6	LV4/5310-99-812-5815	WASHER, SFRING TENSION	2 in. od x 5/32 in. thk steel, 13/32 in. id x	2		FV51623	
7	LV4/5306-99-812-5817	BOLT, MACHINE	1-7/8 in. od x 3/32 in.thk mounting pivot	1		FV51624 FV51626	
8	LV4/5310-99-812-5816 LV4/5310-99-812-5818	WASHER, SPRING TENSION NUT, PLAIN, WING	steel, Cd plated UNF, steel,Cd plated, 3/8in.	1		FV51625 FV51627	
τÓ	LV9ASC/2540-99-815-6101	EXTENSION AND RETAINER ASSEMBLY					• •
11		Kooladhi	machine gun butt			FV 125967	
12 13	LV4/FV328996	MOUNTING, EROWNING, M.G. NO. 3			R1		
14	LV4/1005-39-812-5910	Mk 1 PLATE, SIDE	left and right	1 fpr	1-72	FV 160980	Mk 1 only
15 16	NP LV4/5307-99-812-8447	PLATE, SIIE, LEFT STUD, WELDING	UNF, steel, 5/16 in. x	1		FV275456	
17			1-1/4 in.	2	3	FV293640	
`	G1/5310-99-941-9128	NUT, SELF-LOCKING, HEXAGON	UNF, steel, nylon insert, Cd plated, 5/16 in.	2	4		
:8	G1/5305-99-941-8452	SCREW, HAMMER DRIVE	steel, rd hd, type, Cd plated, no.5 x 5/16 in.	4			
-19 -20	LV4/1005-99-812-6085 LV4/FV272214	SADDLE, MACHINE MOUNTING PIN, PIVOT		1	5 7	FV275466	N
21 22	G1/5310-99-948-0391 G1/5310-99-941-8459	WASHER, FLAT	steel, sinc coated, 1/2 in.	1	å		Saddle to
		NUT, SELF-LOCHING, HEXAGON	UNF, steel, all metal, Cd plated, 1/2 in.	1	9		) side plate
23 24	LV6MT1/2730-99-301-1208 LV4/1005-99-912-6076	NIPPLE, LUERICATING CHUTE, CARTRIDGE CASE	steel, 57-1/2in. deg angle spent cartridges	1	10	FV272217	
25	01/5305-99-941-0293	BOLT, MACHINE	UNF, steel, her hd, zinc coated, 1/4 in. r				2
25	61/5310-79-941-0891		3-1/2 in.	1	11		Chute to side plate
		NUT, FLAIN, HEXAGON	UNF, steel, zinc coated, lock, 1/4 in.	1	12		3
27 28	LV4 1005-99-312-6061 G1 5310-99-941-6634	PIN, MOUNTING,MACHINE GEN WASHER, LOCK	front steel,double coil, 3/4 in.	1	13	EV260408	
29	LV1/5305-99-812-6037	SCREW, GRUE	UNF, steel, slot drive, no.10 x 0.4 in.	1	15	FV253087	Locking pin
30 31	G1/5310-99-941-6628 LV4/3340-99-812-6178	WASHER, LOCK PLATE, KEEP	steel, double coil, 3/4 in. rear locking pin	1	16		
32	LV4/5306-99-912-8511 LV4/1005-99-812-6179	BOLT, SHOULDER	keep plate to side plate rear	1	20	FV 337093 FV 337573 FV 337096	T
33 34	NP	PIN, MOUNTING, MACHINE GUN CONTROL, HANDLE	Leut.	i		FV 31 3220	
35	LV2/1005-99-812-5151	ERACKET, MACHINE GUN CONTROL HANDLE		1	22	FV313201	
36 37	LV4/5340-99-812-6155 31/5305-99-941-8454	CLIP, SFRING TENSION SCREW, MACHINE	UNC, steel, pan hd,slotted,	1	24	FV313209	b
28	G1/5310-99-941-8458		zinc coated, no.6 x 5/8 in. UNC, steel, nylon insert	2	25	}	) Clip to ) bracket
		NUT, SELF-LOCKENG, HEXAGON	zinc coated, no.6	2	26	EW620240	5
39 40	LV4/1005-99-306-7984	TRIGGER SHAFT PAWL	0.300 machine gun mount trigger shaft	1	27 28	FV679742 FV679739	
41 42	LV4/1005-99-806-7985 G1/5310-99-941-8634	PLATE, TRIGGER SHAFT WASHER, PLAT	0.300 machine gun mount steel, zinc coated, 1/4 in.	1		FV679738	Pawl to
43	01/5315-99-944-0162	PIN, COTTER, SPLIT	steel, phos, 1/32 in. x 3/8 in.	SE 1		ļ	trigger
44	G1/5315-99-122-2528	PIN, SPRING	steel, 1/4 in.dia 11/16 in.	1		250-0687 МВК	Spirel
45	G1/5340-99-122-2288	PIN, QUICK RELEASE	lg steel, Cd P, 1/4 in. dia x		1		·
46	LV4/1005-99-812-5900	STEM AND FIRING HANDLE	5 in. grip lg	1		3201-0450 FV160299	Audel
47 18	NP LV4/1005-99-812-6152	STEM STUD, SPECIAL	nut to stem	1	32-35 33	FV336978 FV313206	
-49	LV4/FV313207	NUT, HAND	locking control handle steel, zinc coated, 1/4 in.	1	34 35	/	
50 51	G1/5310-99-941-8634 LV4/5315-99-812-6114	WASHER, FLAT PIN, SHOULDER, HEADLESS	firing handle	i	36	FV285320	
52	LV4/1005-99-812-6115	SPRING, HELICAL, COMPRESSION		t	37	FV285321	
53 54	LV4/5340-99-812-6116 LV4/FV285323	EUSHING, MACHINE THREAD CAP, PLUNGER		1	38 39	FV285322 FV285323	
55		NUT, SELF-LOCKING, HEXACON	UNF, steel, mylon innert, zinc coated, 5/16 in.	1	40		) Cap to ) plunger
56	LV4/5310-99-812-6131	WASHER, PLAT	steel, 3/4 in. id x	1	41	FV293642	, , ,
			1-1/8in.od x 1/4 in.thk	'	1*'	1 127 3042	
							Amdt 14992-9

 $\bigcirc$ 

6

C

(0)

**R1** 

Item No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarks	
		MOUNTING, BROWNING - Contd			R1			
23	LV4/1005-99-812-6128	CONTROL, HANDLE - Contd SPRING, HELICAL,						
4	LV4/1005-99-812-6129	COMFRESSION STRIKER	striker return	1 1	42 43	FV293635 FV293639		
5	G1/5305-99-941-9037	SCREM, SET	UNF, steel, her socket hd, Cup point, zinc coated,				Striker to	
5		SFINDLE, STRIKER, CONTROL HANDLE	no.10 x 5/16 in.	1	44	FV336613	) ) ) )	
7		NUT, SELF-LOCKING, HEXAGON	UNF, steel, nylon insert, Cd plated, 5/8 in.	1	46		Adjuster	
e l	LV4/5315-99-812-6154	PIN, STRAIGHT, HEADED	control handle to side plate	1	47	FV313208		~
10	G1/5310-99-948-0391 G1/5315-99-944-0177	WASHER, FLAT PIN, COTTER, SPLIT	steel, zinc conted, 1/2 in. steel, phosphated, 3/32 in. x 1-1/8 in.	1	48 49		Pin fixing	
11 12		CLAMP, FORESIGHT SCREW, MACHINE	UNF, steel, csk hd, slotted,	1	50	FV326348	) )	
13	01/5310-99-941-0891	NUT, PLAIN, HEXAGON	zinc coated, 1/4 in.x 4in. UNF, steel, zinc coated,	1	51		Clamp to	
14	G1/5305-99-941-6906	SCREW, MACHINE	lock, 1/4 in. UNF, steel, hex hd, zinc	1	22.2.2		side plate	
15	71/5310-99-120-2311	WASHER, LOCK	coated, no. 10 x 3/8 in. steel, int, flat,	1	52		B	
15		FORESIGHT SCREW, MACHINE	zinc coated, 3/16 in. UNF, steel, hex hd,	1	53 54			
18	01/5310-99-943-8479	WASHER, LOCK	<pre>zinc coated, 1/4 in. x 3/8 in. steel, int, flat,</pre>	1	55		Clamping foreright	
19	LV4/FV326350	BACKSIGHT	zinc coated, 1/4 in.		56 57		5	
20	G1/5305-99-941-1871	SCREW, MACHINE	UNF, steel, fillister hd, size coated, no.10 x	1.0			Backright	
21	G1/5310-99-941-2419	NUT, PLAIN, HEXAGON	<pre>1/2 in. UNF, steel, sinc coated, no.10</pre>	4.51 •	58		)to firing  )handle	ļ
22	174/1005-99-812-6265	CARRIER ASSEMBLY, AMMUNITION BOX	no.:0	11. 1	-19		2	
23	LW4/27 90-99-312-0256	CARRIER BODY, AMMUNITION BOX		1		FV496970		
24		BLOCK AND PINS, MAGAZINE CLIP		8	60 51	FV496971 FV420865		
25 26	174/*005-99-812-6259 73/5310-99-941-8461	CLAW, MAGAZINE CLIP NUT, SELF-LOCKING, HEXAGON	UNF, steel, nylon insert,	762). 1	62	FV466884	)Claw to	
27	173/1005-79-812-6256	SFRENG, HELICAL, COMFRESSION	zinc coated, no.10	2	64		)block	
28	GIGA/11167	REVET, SOLID	block return steel, csk hd, 1/8 in. x	1	65	FV420859	)Spring	
29	LV4/1005-99-812-5682	CATCH, RELEASE, AMMUNITION BOX	1/2 in.	2			)fixing	
30	174/:005-99-812-6175	SPRING, HELICAL, COMPRESSION	Catch return	,	66	FV125043		
31		PEN, STRAIGHT, HEADED WASHER, FLAT	Catch pivot steel, zinc coated, 1/4 in.	1	67 68	FV333291 FV125038	(,	
33	G1/5315-99-944-0172	FIN, COTTER, SPLIT	steel, phosphated, 1/16 in. x 7/8 in.	1	69 70		<pre>{Pin {firing</pre>	
라. 35	LV4/FV272213 LV4/5305-99-812-8510	PIN, PIVOT SCREN, SHOULDER	pivot pin fixing	1	70 71 72	FV337672	Side plate	
36	LV4/1005-99-866-9653 LV4/1005-99-812-6231	SUPPORT, MACHINE OUN MOUNT SUPPORT, MACHINE GUN MOUNTING	rear	1	16	FV340068 FV351225	Mk t only	
i 39	LV4/FV335373 LV4/FV335374	PIN, SHOULDER COLLAR, STOP	mounting rear support	1		14331223		
	G1/5310-99-941-9134	NUT, SÉLF-LOCKING, HEXACON	UNF, steel, nylon insart, Cd plated, 1/2 in.					
47	LV4/5340-99-812-6088 01/5305-99-941-0511	PIN, QUICK RELEASE SCREW, MACHINE	UNF, steel, hex hd,	1		FV275475	2	
43	G1/5310-99-941-6654	WASHER, LOCK	zinc coated, 1/4 in.x 1/2in steel, single coil	2			Stop pin	
44	G1/5305-99-941-0310	BOLT, MACHINE	sq section, 1/4 in. UNF, steel, her hd, zinc coated, 3/8 in. r	2			aupport	
45	61/5310-99-120-2521	WASHER, LOCK	1-1/8 in. steel, int, flat,	2			\$	
16	G1/5310 <u>-99-9</u> 41-0915	NUT, PLAIN, HEXACON	zinc coated, 3/8 in. UNF, steel, zinc coated, 3/8 in.	2			)Support to roof	
							,	

•

**R**2

n s

	T =	· · · · · · · · · · · · · · · · · · ·	1				R3
Item No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remerka
1 2 3	LV4/1005-99-812-5866 LV9ASC/1005-99-103-6116	MOUNIT, GUN MOUNT, GUN	no.4, Mk 1 no.4, Mk 2	1		FV59321 FV542058	Mk 2 only
4	LV4/5306-99-812-6251	BOLT, MACHINE	UNF, steel, hex hd,9/16 in. x 3/4 in.	1	2	FV52565	
5	G1GA/19174 LV4/FV51702	WASHER LOCK PEN, STRAIGHT, HEADLESS	steel, int, flat, zinc coated, 9/16 in.	1	3		
7		LEVER, TRIGGER COLLAR, SHAFT	firing trigger fixing trigger shaft		5	FV51717	
9	LV4/FV51701	TRICGER FIN, GROOVED, HEADLESS	steel, phosphated, 1/8 in.	i	7		)Triggers to
11		PIN, STRAIGHT, HEADLESS	dia x 5/8 in.lg fixing firing lever	2	В 9		)shaft
12 13 14	LV4/3040-99-812-3636	LEVER, FIRING COLLAR, SHAFT PIN, GROOVED, HEADLESS	fixing, firing lever shaft steel, phosphated, 1/8 in. dia x 5/8 in. 1g	1 2 3	10 11 12		)Firing )levers to
15 16		CONNECTING LINE, RIGID NUT, PLAIN, HEXAGON	UNF, steel, sinc coaled,	1	13–18	FV 160720	)collar
17		TAE, ANCHOR FORK, END	return spring	1 2	15		
19 20	LV4/FV51710 G1/5315-39-244-0172	PIN, JOINT PIN, COTTER, SPLIT	steel, phosphated, 1/16 in.	2	17		
21	LV4/1005-99-812-5605 LV4/1005-99-812-5659	SPRING, HELICAL, EXTENSION GJARD, FIRING LEVER	x 7/8 in. trigger return	2	18 19 20	FV51212 FV55625	
23	G1/5305-39-341-3510	SCREW, MACHINE	UNF, steel, hex hd, rinc coated, 1/4 in. x 3/6 in.		21	1455025	) )Guard to
24	G1/5310-99-943-8479	WASHER, LOCH	steel, int, flat, zinc coated, 1/4 in.	İ	22		)cradle
25	G1/5305-99-941-6549	SCREW, MACHENE	UNF, steel, her hd, zinc coated, 3/8 in. r 7/8 in.	2	23		
26	G1/3310-99-120-2521 G1/5310-99-941-9926	WASHER, LOCK MUT, PLAIN, MEXAGON	steel, int, flat, zinc coated, 3/8 in.	z	24		
28		WASHER, RECESSED	UNF, steel, zinc coated, 3/8 in.	2	25 26	FV51775	<b>N</b>
29 30	G1/5310-99-941-8637 LV9ASC/2740-99-815-7242 01/5315-99-942-3566	WASHER, FLAT Collar, shaft	steel, zinc coated, 1/2 in.	4 1	27 28	FV51715	Sight link to cradle
31		PIN, GROOVED, HEADLESS BOLT, MACHINE	steel, phosphated, 1/8 in. dia x 7/8 in. 1g UNF, steel, hex hd, zinc	1	29		}
33 34	01/5310-99-941-8636 01/5310-99-941-650	WASHER, FLAT NUT, SELF-LOCKING, HERAGON	coated, 7/16 in. x 4-1/2 in. steel,zinc coated, 7/16 in. UNF, steel, nylon insert,	1 2	30 31		Rear bolt
35 36		HANDLE, GRIF BLOCK, TRUCKION	zinc coated, 7/16 in.	1 1 1	32 33 35-36		)
37 38 39	LVGT1/3120-99-942-8104	BEARLIG, SLEEVE BLOCK, TRUMMICH BEARLING, SLEEVE	right	1 1 1	36 3738		
40 41	G1/5315-99-943-2502 LV4/5310-99-812-9546	PEI, GROOVED, HEADLESS WASHER, FLAT	steel, phosphated, 5/32 in. dia x 3/8 in. 1g steel, 0.78 in. id x 1.250in.	,1	38		
42	LV4/5310-99-812-8547	WASHER, FLAT	od x 0.075 in. thk steel, 0.78 in. id x 1.250in	)		<b>FV</b> 51695/1	
43	LV4/5313-79-812-3548	WASHER, FLAT	od x 0.10 in. thk steel, 0.78in. id x 1.250in.	) 28	39	FV51695/2	
44	LV4/5310-99-812-8545	WASHER, PLAT	od x 0.125 in. thk steel, 0.78in. id x 1.250in.	{		FV51695/3	
45	LV4/1005-99-812-5844	PLATE, TRUNNION, MACHINE GUN CRADLE	od x 0.150 in. the steel, 4 in.od x 5/32 in.thk	,	40	FV51695/4	
46	01/5305-99-941-1717	SCREW, MACHINE	UNC, steel, csk hd, zinc coated, no.6 x 3/8 in.	3	40 41	FV52063	
	LV4/2590-99-812-845 LV4/52065	LINING, FRICTION PLATE, TRUNNION		1	42 43	FV52064	
49 50	01/3310-99-941-6636 LV4/5340-99-812-6201	Washer, Lock Handwheel	steel, double coil, 1 in. locking trunnion	1 • 1	45 46	FV52276	

 $\bigcirc$ 

0

())

i	Þ		1	è	
	ł	1	4	1	ł

82

+

e)

g         Catalogue Number         Item Name         Item Description         No.         Plate         Drewing No.         Remarks           1         1         1         1         1         0.0         1         0.0         1         0.0         1         0.0         1         0.0	R4							
2 $UV4/1005-99-812-6203$ MOUNT GUN - contd BRACKET ASSEMBLY, CONTROL ARM BRACKET       NP BRACKET       Image: Control of the second	1 5	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.		Remarks
	24 10 11 12 12 14 10 1 1 12 12 14 10 10 12 12 12 12 12 12 12 12 12 12 12 12 12	Catalogue         Number           1         1           2         LV4/1005-99-812-6203           4         NP           1         LV4/5315-99-812-6204           5         LV4/5315-99-812-6204           6         G1/5310-99-120-2304           6         G1/5310-99-941-0915           6         G1/5310-99-941-0915           6         G1/5310-99-941-0915           1         U9ASC/2590-99-103-6958           LV4/1005-99-812-6205         LV4/1005-99-812-6205           LV4/1005-99-941-0591         LV4/1005-99-812-6202           LV4/1005-99-312-6202         LV4/1005-99-812-6202           LV4/1005-99-312-867         NP           LV4/1005-99-312-5839         G1/5340-39-812-5839           G1GA/11304         313A/11304	MOUNT GUN - contd BRACKET ASSEMBLY, CONTROL ARM BRACKET PIN, STRAIGHT, THREADED WASHER, LOCK NUT, PLAIN, HEXAGON SCREW, MACHINE WASHER, LOCK NUT, PLAIN, HEXAGON SHOULDER FIECE ASSEMELY EXTENSION PIECE CLAMP, SHOULDER FIECE CLAMP, SHOULDER FIECE CLAMP, SHOULDER FIECE WASHER, LOCK NUT, PLAIN, WING SHOULDER PAD SPLASH, PROTECTOR SCREW, MACHINE BAG, SPENI CARTEIDGE PLATE, HOOK CLIP, SPRING TENSION RIVET, SOLID RIVET, SOLID	<pre>UNF, steel, 3/8 in. x 2-1/2 in. steel, Single coil, zinc coated, 3/5 in. UNF, steel, Einc coated, 3/6 in. UNF, steel, hex hd, zinc coated, 3/6 in. x 1 in. steel, Single coil, zinc coated, 3/8 in. UNF, steel, minc coated, 3/8 in. UNF, steel, zinc coated, 3/8 in. UNF, steel, double coil, 3/8 in. UNF, steel, hex hd, zinc coated, 1/4 in. x 1/2 in. Canvas steel, 1 in. 2 x 1.625 in. lg x 0.026 in. thk, 0.275 in. h steel, flat hd, tinmans, 1/5 in. x 5/16 in.</pre>	off           1           2           3           3           3           1	Ref. R2 47-50 48 49 50 51 52 53 56 57 58 59 60 61	No. FV350131 FV350132 FV56590 FV350138 FV350138 FV350139 FV58620 FV53412 FV59341 FV59341 FV59341 FV59341	Remarks )Clamping )shoulder )piece ) ) Bracket to ) cradle ) ) Bracket to ) cradle ) ) Mk 2 only ) Mk 2 only ) Mk 1 only ) Protector ) to barrel ) When no. 4 ) Mk 1 gun ( mtgo fitted ) Plate ) Plate to
	?         10         11233456789         21         225         14	G1/5310-99-120-2304 G1/5310-99-341-0915 LV9ASC/2590-99-103-6958 LV4/FV337244 LV4/1005-99-812-6205 G1/5310-99-120-8704 G1/5310-99-120-8704 G1/5310-99-120-8704 G1/5310-99-312-6202 LV4/1005-99-812-602 LV4/1005-99-812-5839 G1/5305-99-941-0511 LV4/1005-99-812-5839 G1GA/11304 31GA/11304	WASHER, LOCK NUT, PLAIN, HEXAGON SHOULDER FIECE ASSEMELY EXTENSION FIECE CLAMP, SHOULDER FIECE CLAMP, SHOULDER FIECE WASHER, LOCK NUT, FLAIN, WING SHOULDER PAD SPLASE, FROTECTOR SCREW, MACHINE BAG, SPENI CARTRIDGE PLATE, HOOK CLIP, SPRING TENSION RIVET, SOLID RIVET, SOLID	<pre>UNF, steel, hex hd, zinc coated, 3/6 in. x 1 in. steel, single coil, zinc coated, 3/8 in. UNF, steel, zinc coated, 3/8 _n. large small steel, double coil, 3/8 in. UNF, steel, hex hd, zinc coated, 1/4 in. x 1/2 in. UNF, steel, hex hd, zinc coated, 1/4 in. x 1/2 in. canvas steel, flat nd, tinmans, 1/5 in. x 5/16 in. steel, flat nd, tinmans, 1/5 in. x 5/16 in.</pre>	3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	51 52 53 56 57 58 59 60 61	FV350138 FV350139 FV58620 FV53412 FV59341 FV59341 FV58467 FV51844	) ) Bracket ) cradle ) Mk 2 or ) Mk 1 am ) Mk 1 on ) Mk 1 on ) Protect ) to barr ) When no ) Mk 1 su ( stgs fi ) clip to ) plate ) Plate to

0

Iten No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarks
1 2	LV4/1005-99-809-1428	NOUNTING, MACHINE GUN	7.62 mm, GFMG no. б, Юс 1	- 1	<b>R 3</b> 1-97	PV665160	) Alternative ) to No. 4
3 4 5	₩ LV4/1005-99-815-3046 LV4/1005-99-815-3047	GUN MOUNT ASSEMBLY CRADLE WEAPON MOUNTING GUADRANT BLOCK ASSEMBLY	gun mtg	1	) <u>1</u>	FV665081 FV665082 FV665138	) 10c 1
6	LV4/5315-99-815-4120 LV4/5340-99-815-3048	PIN, STRAIGHT, HEADLESS	steel, phos, 5/16 in. dia x 1-45/64 in. 1g	2	3	FV665142	
7 8	LV4/5360-99-815-3049	PLUNGER, DETENT SPRING, HELICAL, COMPRESSION	cuadrant block steel, 0.484 in. od x 0.63 in. free lg	2	4	FV665140 FV665141	
9 10	G1/5310 <del>-99-9</del> 41-8623 G1/5310- <del>9</del> 9-434-9308	WASHER, FLAT WASHER, LOCK	steel, Cd P, 5/16 in. steel, int, flat, zinc coated, 1/2 in.	2	6		· .
11	LV4/5306-99-815-4136	BOLT, EXTERNALLY RELIEVED BODY	UNF, steel, fil.hd, phos,	1	7 10	FV665147	
12	LV4/5305-99-815-4139	SCREW, MACHINE	1/2 in. x 3 in. UNF, steel, hex hd, phos,			1.0	
13	G1/5310-99-120-8573	NUT, SELF-LOCKING, HEXAGON	1/4 in. x 1-3/8 in. UNF, steel, all metal, 1/4 in.		12	FV665145	
14 15	LV4/1005-99-812-5826 LV4/5315-99-815-4135	TRIGGER PIN, STRAIGHT, HEADLESS	cradle steel, phos, 0.375 in. dia	2	13 14	FV51701	
16	LV4/3120-99-815-4133	BUSHING, SLEEVE	x 1.40 in. lg steel, 0.376 in. id x 0.5630	1	15	FV665146	
17	LV4/1005-99-815-4132	LEVER, REMOTE CONTROL	in. od x 0,46 in. 1g trigger	1 1	16 17	FV665144 FV665143	
18 19	LV4/1005-99-815-4122	TRIGGER PLUNGER ASSEMBLY PLUNGER GUIDE	trigger	1	19	FV665102 FV665107	
20 21		PLUNGER ASSEMBLY PIN, SPRING	trigger cres, 1/4 in. dia x 1-1/8 in. lg	1	20 21	FV665103	
22 23	LV4/1010-99-199-0276 LV4/5360-99-815-4123	LEVER ASSEMBLY SPRING, HELICAL, TORSION	trigger steel, single torsion, 0.37	1	22	FV665177	
24	LV4/5360-99-815-4124	SPRING, HELICAL, COMPRESSION	in. od x 0.61 in. lg steel, 0.608 in. od x		23	FV665175	
25	LV2/1005-99-815-4125	DEFLECTOR, SPENT CARTRIDGE	0.91 in. free lg	1	25	FV665111	
26	Z2/5305 <del>-99-9</del> 46-1274		UNF, steel, her hd, zinc	T	27	FV665112	2
27 28	22/5310-99-946-7014 22/5310-99-970-6320	WASHER, FLAT NUT, SELF-LOCKING,	coated, no. 10 x 5/8 in. steel, zinc coated, no. 10	6	28 29		) Plunger ) and ) deflector
29	31/5310-99-970-8407	HEXAGON WASHER, FLAT	UNF, steel, no. 10 steel, Cd P, 3/8 in.	6 1	30 31		) )Shoulder )piece to
30	NP	SHOULDER PIECE ASSEMBLY		1	32-46	FV665170	)frame
31 32 33	LV4/1005-99-815-4127 LV4/1005-99-815-4126 LV4/1005-99-815-4128	BRACKET, CONTROL ARM CONTROL ARM PAD, RECOIL	shoulder piece shoulder piece sponge rubber, plastics	1 1	32	FV350132 FV665164	
34	LV4/1005-99-812-6205	COLLAR, CLAMPING	covered pad	1		FV56580 FV350138	×
35 36	LV4/1005-99-812-6206 G1/5310-99-944-0550	CLAMP, SHOULDER PIECE WASHER, LOCK	pad steel, single coil, Cd P,	1	36	FV350139	
37 38	G1/5310-99-941-1695 LV4/5360-99-815-4131	NUT, PLAIN, WING SPRING, HELICAL,	3/8 in. UNF, br, 3/8 in. steel, 0.915 in. od x 8.06	1	37 38		
39 40	LV4/2540-99-815-4130 G1/5315-99-204-4446	COMPRESSION PAD, THRUST PIN, SPRING	in. free lg control arm steel, 1/8 in. dia x	1		FV665168 FV665167	
41	G1/5310-99-941-0904	NUT, PLAIN, HEXAGON	11/16 in. 1g UNF, P steel, zinc coated,	1	41		
42 43	01/5310-99-941-8635	SPANNER, RING WASHER, FLAT	3/6 in. straight single hd type, hex steel, zinc coated, 3/8 in.	1	43 44 45	FV665165	Bracket
44 45	G1/5310-99-941-9131 LV4/1005-99-812-5819	NUT, SELP-LOCKING, HEXAGON HANDLE	UNF, steel, all metal, Cd P, 3/8 in. shoulder piece	2 1	46 47	FV51686	arm
46	G1/5306-99-941-0318	BOLT, MACHINE	UNF, S steel, her hd, zinc coated, 3/8 in. x 2-3/4in.	1	48		10
47 48	G1/5310-99-941-8635 G1/5310-99-941-9131	WASHER, FLAT NUT, SELF-LOCKING, HEXAGON	steel, zinc coated, 3/8 in. UNF, steel, all metal, Cd P, 3/8 in.	3	49 50		<pre>&gt; Shoulder &gt; piece to &gt; frame</pre>
					-	a.	
	•						

and the second

6

()

•

6

gg         Cotalogue Number         Item Name         Item Description         No.         Plate Organization         Drewing Re.         Remarks           1         UV4/300-09-015-4141         MMERTER DIW MONPTIM - Canté COMMERCIEL DUM, REDDU BUR, REDDU DUM, BERLING, PLAIR, SEEP- MLICHE DIW MONPTIM - Canté COMMERCIEL DUM, REDDU DUM, SEEP- ALIDEN, EFZIENDE UV4/310-09-312-3795         MMERTER DIW MONPTIM - Canté COMMERCIEL DUM, REDLUM DUM, SEEP- MLICHE, FLAIR, BERLEU DUM, SEEP- ALIDEN, REZIENDE DUM, SEEP- SCHEL, BERLEU, BERLEU DUM, SEEP- ALIDEN, REZIENDE DUM, SEEP- SCHEL, BERLEU DUM, SEEP- ALIDEN, SEEP- MLICHE, FLAIR, BERLEU DUM, SEEP- SCHEL, BERLEU DUM, SEEP- SCHEL, BERLEU DUM, SEEP- DUM, SEEP- SCHEL, BERLEU DUM, SEEP- DUM, SEEP- SCHEL, BERLEU DUM, SEEP- DUM, SEEP- SCHEL, BERLEU DUM, SEEP- DUM, SEEP- SCHEL, BERLEU DUM, SEEP- SCHEL, BERLEU DUM, SEEP- SCHEL, BERLEU DUM, SEEP- SCHEL, BERLEU DUM, SEEP- DUM, SEEP- SCHEL, BERLEU DUM, SEEP- SCHEL, SCHEL, SEEP- SCHEL, SEEP- SCHEL, SEEP- SCHEL, SEEP- SCHEL, SCHEL, SE	R6							
2       12/1020-99-315-4142       Connecting         1       UMGRT 1/3120-99-315-4142       ALIGNING       11m. dia cuter member, 11m. dia cuter membe	Iten No.	Catalogue Number	Item Name	Item Description				Remarks -
	The set of	$ \begin{array}{c} LV4/3040-99-815-4141 \\ LV6MT 1/3120-99-315-4142 \\ LV6MT 1/3120-99-315-4142 \\ LV6MT 1/310-99-10-8280 \\ C1/5310-99-812-5795 \\ LV4/5340-99-812-5795 \\ LV4/5340-99-815-5795 \\ LV6MT 1/3120-99-200-2448 \\ LV2/3040-99-815-4149 \\ LV4/1005-99-815-4149 \\ LV4/1005-99-812-5825 \\ LV6MT 1/3120-99-200-3182 \\ LV2/5340-99-315-4147 \\ C1/5310-99-315-4147 \\ C1/5310-99-315-4143 \\ LV2/1005-99-315-4143 \\ LV2/1005-99-315-4143 \\ LV2/1005-99-315-4143 \\ LV2/1005-99-315-4143 \\ LV2/1005-99-315-4143 \\ LV2/1005-99-315-4148 \\ LV2/1005-99-315-4148 \\ LV6MT 1/5356-99-315-4148 \\ LV6MT 1/5360-99-315-4148 \\ LV6MT 1/5360-99-315-4138 \\ LV6MT 1/5360-99-315-4130 \\ LV6MT$	MACHINE GUN MOUNTING - Contd CONNECTING LINK, RIGID BEARING, PLAIN, SELF- ALIGNING HING, RETAINING NUT, PLAIN, HEXAGON TURNHUCKLE MUT, PLAIN, HEXAGON BEARING, SLEEVE COLLAR, SHAFT BLOCK, TRUNNION BEARING, SLEEVE STRAP, RETAINING WASHER, LOCK SCHEW, CAP, SOCKET HEAD HOUSING, BEARING UNIT BEARING, SLEEVE STRAP, RETAINING WASHER, LOCK SCHEW, CAP, SOCKET HEAD HOUSING, SEARING UNIT BEARING, SLEEVE BRACKET, QUADRANT GUIDE PLATE ASCEMBLY WASHER, FLAT GUADRANT ASSEMBLY WASHER, FLAT RETAINER, SPRING DISC DISC, SPRING KNO9 WASHER, FLAT RING, RETAINING TRAY, STOWAGE, VEHICULAR CLIP, SPRING TENSION RIVET, SOLID BAG, SPENT GARTRIDGE FRAME TOP HOCK PLATE HOCK PLATE	<pre>1/2 in. dia inner member, 1 in. dia outer member steel, phos, 1 in. od UNF, steel, cd P, 1/2 in., 1h bronze, 1/2 in. id x 5/8 in. od x 1/4 in. 1g steel, phos, 1/2 in. id x 3/4 in. od x 1/4 in. 1g left bronze, 3/4 in. id x 7/8 in. od x 1 in. 1g left trunnion block steel, ingle coll, Cd P, 3/6 in. UNF, cres, flat fil.hd, 3/6 in. x 1 in. right bronze, 3/4 in. id x 7/6 in. oi x 1/2 in. 1g w/integral mut steel, Cd P, 3/8 in. w/integral pin steel, 1/2 in. steel, phos, 1.66 in. dia x 0.5 in. h bteel, 20.2 mm id x 36.5 mm od x 0.5 mm thk plastic, put on type, 1/4 in. steel, od P, 3/8 in. steel, od P, 3/8 in. steel, in. id steel, in. steel frame, io- i in. x 12-7/8 in. x if in. frame top frame top steel, 1 in. w x 1.625 in. lg x 0.025 in. thk,</pre>	Off           1           2           1	Ref. R 3 51-58 52 53 54 55 56 38 60 62-63 66 67 66 67 70 72 75 76 79 81 82 71-58 52 53 54 55 56 57 57 58 60 62-63 65 65 77 77 83 84 77 76 79 81 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 77 76 79 81 82 83 82 83 83 85 85 85 76 85 76 85 76 81 82 83 83 85 85 85 85 76 85 76 85 85 76 85 85 85 76 85 85 85 85 85 76 85 85 85 85 85 85 85 85 85 85	No. FV565130 FV51077 FV51078 FV565129 FV565129 FV665148 FV665151 FV665151 FV665151 FV665151 FV665151 FV665148 FV665151 FV665151 FV665148 FV665148 FV665151 FV665151 FV665148 FV6	<pre>} Connecting link</pre>

•


R6

2


.

				1				
• ~	Item No.	Catalogue Number	Item Name	Item Description	No. Off	Plate Ref.	Drawing No.	Remarks
$(\bigcirc)$	Γ,				1	R4		25
	2	LV4/1240-99-812-5863 NP LV4/FV58245	NOUNT, PERISCOPIC SIGHT MOUNT, PERISCOPIC SIGHT HOUSING, SIGHT	no. 12, Nk 1 no. 12, Nk 2	1 1		FV 59 129 FV 54 20 59	) 17
	5	NP	EOUSING, SIGHT			1-6	FV541339	) no. 12, ) Mic 1 only )no. 12,
	6	LV4/5315-99-812-5791	PIN, STRAIGHT, THREADED	UNF, steel, 5/16 in. r		2		)Mc 2 only
	7 8 9	LV4/FV51001 LV4/FV51185 LV4/5340-99-812-5785	TRUNNION, HOUSING TRUNNION, HOUSING CLIP, SPRING, TENSION	2-29/64 in. left right	1 1 1	2 3 4	FV51015	
	10	G1/5305-99-941-6907	SCREW, MACHINE	steel, Cd plated, 1/2 in. w I 2-19/32 in. lg UNC, steel, her hd, zinc	2	5	PV51002	
	11	22/5310-99-120-2520	WASHER, LOCK	coated, no. 6 x 3/8 in. steel, int, flat, zinc	4	6		Springs to
-	12	G1/5310-99-941-2406	NUT, PLAIN, HEXAGON	coated, 1/8 in. UNC, steel, zinc coated,	4	7	30	housing
	13	LV4/2590-99-812-5788	SPRING, RETAINING,	по. б	4	-8		5
	• 14	22/5310-99-120-2520	PERISCOPE FIN WASHER, LOCK	steel, int, flat, zinc	2	9	<b>PV</b> 51008	,
	15	01/5305-99-941-1835	SCREN, MACHINE	coated, 1/8 in. UNC, steel, fillister hd,	4	10		Spring to housing
	16	LV2/5330-99-812-5787	FELT, MECHANICAL, PREPORMED	zinc coated, no. 4 x 1/4in. bracket packing, front	4	11 12	FV51004	)
6	17	LV4/FV55352	BRACKET, MOUNTING, FERISCOPE ARM, CONTROL	·····	2		<b>FV58246</b>	
i))	19		WASHER, NONMETALLIC	felt, 1-1/2 in. id x } in. od x 5/16 in. thk	2	17	FV51000	
	20 21 22		CAP, PERISCOPE MOUNTING, END CAP, PERISCOPE MOUNTING, END	left right	1 1	18 19	FV55350 FV55349	
	22		SCREW, MACHINE	UNF, steel, her hd, zinc coated, 1/4 in. r 1/2 in.	16	20		Caps to
	24	G1/5310-99-943-8479 LV9ASC/2540-99-815-7242	WASHER, LOCK COLLAR	steel, int, flat, zinc coated, 1/4 in.	16	21		) housing
		G1/5315-99-942-3566	PIN, GROOVED, HEADLESS	steel, phosphated, 1/8 in.	1	22		Retaining link arm
	26 27	LV4/5306-99-812-5800 L74/1240-99-812-5901	ETEBOLT ADJUSTER, PERISCOPIC SIGHT	dia x 7/8 in. dia righting, adjustment		23 24	FV51087 FV160393	,
	28 29	LV4/9751089	ADJUSTING THIMBLE SCREW, GRUE	Securing thimble	1	27	FV51092	
	30 31	LV4/2590-59-812-5802 01/5305-99-941-1845	SPRING, CLICKER SCREW, MACHINE	UNC, steel, fillister hd,	i	20 29	PV51092	1
				zinc coated, no. 6 x 3/16 in.	2	30		Spring
	32	,	WASHER, LOCK	steel, int, flat, zinc coated, 1/8 in.	2	31		firing
	33	G1GA/19171	WASHER, LOCK	steel, int, flat, zinc coated, 5/16 in.	1	32		/
	34 35	LV4/2V51012 01/5310-99-941-0847	NUT, PLAIN, WING NUT, PLAIN, HEXAGON	adjusting eyebolt UNP, steel, slotted, zinc coated, 1/4 in.	i 1	33 34		
	36	G1/5315-99-944-0172	PIN, COTTER, SPLIT	stael, phosphated, 1/16 in. x 7/8 in.	,	35		
$\bigcirc$	37 38 39	LV4/2V51041 G1/5310-99-941-8845 LV4/5315-99-812-5786	BYEBOLT NUT, PLAIN, WING PIN, STRAIGHT, HEADED	retaining periscope UNF, steel, Cd plated, 1/4in. steel, Cd plated, 3/16 in.		36-37 37	FV51011	
	40	G1/5315-99-944-0172	PIN, COTTER, SPLIT	dia x 49/64 in. 1g steel, phosphated, 1/16 in.	2	38		
		LV4/2590-99-812-5851 G1/5305-99-941-0511	HEAD PAD ASSEMBLY SCREW, MACHINE	x 7/8 in. UNF, steel, hex hd, zinc	2		<b>PV</b> 55353	}
	43	G1/5310-99-943-8479	WASHER, LCCK	coated, 1/4 in. x 1/2 in. steel, int, flat, zinc	2	.41		) Head pad to scunt
3.5	44	G1/5310-99-120-2521	WASHER, LOCK	coated, 1/4 in. steel, int, flat, zinc	2	42		, ,
8	45	01/5310-99-941-0838	NUT, PLAIN, HEXAGON	coated, 3/8 in. UNF, steel, zinc coated, 3/8 in.	7			)Mounting to turret
			φ.	,,		82		,
						e 34		
				D 61,				
					2			
ч								

ж Ц




MACHINE GUN MOUNTING, No4. Mk1 AND Mk2



### MACHINE GUN MOUNTING No.6, Mk 1

0

0



**R** 3



## PERISCOPIC SIGHT MOUNTING, No12, MK1

